

F. No. S/43-471/2018-19/CHS/JNCH

Date: 20-02-2019

<u>NOTICE INVITING e-TENDER No. 3/2019</u> <u>E-tender id No: 2019 DREV_446756_1</u>

Beautification of Porch at JNCH, Nhava Sheva

The Commissioner of Customs (General), Jawaharlal Nehru Custom House,Mumbai Customs Zone-II, herein after referred as 'THE JNCH', invites online e-tenders in two-bid covers (technical & financial) for Beautification of Porch at JNCH, NhavaSheva.

The tender is floated for prospective bidders herein after referred to as 'the service provider' having a minimum of five years' experience in this field for **Beautification of Porch** situated at JNCH, Nhava Sheva,. All prospective bidders are invited to submit their bids under two bid systems for the subject work as detailed below in accordance with the tender documents enclosed.

- 01. Application form: Annexure-A
- 02. Scope and Technical Specifications of the work: Annexure-B
- 03. Prequalification conditions Annexure C
- 04. Terms and Conditions- Annexure D
- 05. Format for Technical bid- Annexure E
- 06. General instructions- Annexure F
- 07. Financial Bid Document- Annexure G

The E-Tender form for qualifying bid prescribed in Annexure-B, C and E, the e-tender form for the financial bid prescribed in Annexure G complete in all respects shall be submitted on-line on or before 27-02-2019 up to 11:00 a.m. by E-Tendering through our portal www.eprocure.gov.in.

- EARNEST MONEY DEPOSIT: Rs. 20,000/-(Twenty Thousand Only) in the form of Demand Draft only.
- ▶ LAST DATE FOR SUBMISSION OF BID/TENDER: 27-02-2019
- > DATE FOR OPENING OF TECHNICAL BID: 28-02-2019
- > DATE FOR OPENING OF FINANCIAL BID: 01-03-2019

The e-tender form can be downloaded from www.eprocure.gov.in,www.cbec.gov.in and www.jawaharcustoms.gov.in.

-Sd/-(J.P. Singh) DEPUTY COMMISSIONER OF CUSTOMS CHS/JNCH

Date:

From

To The Dy. Commissioner of Customs (General), Jawaharlal Nehru Custom House, Nhava-Sheva, Uran, Raigad, Maharashtra – 400 707.

Sub: Tender for Beautification of Porch situated at Jawaharlal Nehru Custom House, Tal-Uran, Dist. Raigad.

Ref: 1) Your tender Notice No. Dated 2) EMD-DD No......Date......for Rs.

I/we have read the contents of the terms and conditions mentioned in your tender schedule and its enclosures and agree to abide by the same. I/We have also examined the requisite specifications of the equipment's and my/our offer is to provide the required service/materials/equipment in accordance with the requisite scope of work.

I/We quote the rate inclusive of all taxes, duties, transportation, etc in Complete.

Yours faithfully,

(Signature and stamp of the tenderer, State legal status, Whether Prop.,Partner, Registered firm, Company etc.)

ANNEXURE – B

SCOPE AND TECHANICAL SPECIFICATION OF WORK

Beatification of Porch Area with

Sr.	Specification	Qty	Uni t
1	Warli Painting a tribal art form of painting on the wall. Applying POP to close the cracks and holes in the wall to the smooth surface and then applying primer after that applying two to three coats of paint to the wall for the finishing. Unassuming Warli figures painted in white on red ochre walls using advanced Acrylic Artist paint to draw images of warli painting by trained and highly skilled artist as per the set norm. This painting enhanced the look of walls. It is not just an art form, but a way of life for the Warli (Varli) tribes		
2	Wall size6850mm x 1800mm Ht.Vertical Garden installation to the left, right and below side of warli painting in aligned manner Customized Green living wall solutions to nature craves. Planters provide natural orientation. Supplying vertical Garden Planters with fabrication and Planter Pots installation. Irrigation system & plants installation work. Sprinklers system with pump installation. All complete Structure provides good air flow behind the system. Removable planter inserts allow for ultimate flexibility. Total area	1	<u>No</u> SF
3	Composite Stone cladding applying surrounding of warli painting and to the left and right side of the wall surrounding Made of Composite modern stone cladding, applied to concrete for architectural design modern stone cladding systems should be aesthetic elements. A composite stone cladding supports to attach stone panels to the concrete structure, to which allow a sound section of stone to be dowelled and exposited into place. Using a mortar mix, the stone cladding would be affixed to the wall.	225	RFT
4	Providing and installation of wooden cladding for vertical garden to fix planters in it. Wooden cladding installation below the warli painting and left and right side of painting. Custom-fabricated frames of wood . Used pressure-treated lumber and galvanized planter boxes to erect a vertical garden filled with colorful plants. Mounting the frame to the siding step by step carefully. The frames on the back of the wall panels wooden cladding and using timber screws to fix it . All complete with waterproof & decorative polish finish.		SF
5	Providing and fixing in position wooden effect PVC waterproof False ceiling. These highly-reflective PVC panels are ideal for high-moisture areas because they are water-proof. Panels install quickly and easily, with no exposed fasteners. Available in widths of 255mm and cut to inch lengths from 3000mm to 3600mm as per requirement. It is optimum quality and smooth surface. Use of quality tested raw material in a quality controlled environment. It is waterproof,		SF

	termite resistant and has brilliant brightness. Hygienic surface, Moisture resistance, Low weight, High durability, Optimum usage		
6	Wall Texture work: Sand Papering scraping cleaning the surface applying primer with lambi patti to full surface in 3 layers, thereafter applying 3 coats of Asian, Berger, nerolac or equivalent make of approved shade and colour. Roller to be applied on all surface etc. complete.	705	SF
7	Providing and fixing in position new customs logo in glass. Made out of back painted glass 12mm thick with engraving logo of customs in Hindi and in English. Having in center Ashok Stambh. Same logo glass fixing with s.s.steel studs on the four sides fixing on the wall with decorative light arrangement and wiring for the logo. Logo size 600mm x 600mm	1	No
8	Fixing LED lights with wiring work to the ceiling. LED of 20- 22 watt in round shape.	20	No
9	Shifting and realignment of lighting points including all respect.	LS	

ANNEXURE C

PREQUALIFICATION CONDITIONS

1. The bidder should have 5 years experience to conduct such type of work in the Government offices only. He is required of attach the certificate for Completions of work done in last 3 years.

2. The bidder must have average annual turnover of Rs. 1 Crore for the last two years.

3. Proof of registration with GST & PAN is essential and copies of the proof should be submitted.

4. The bidder shall submit the copies of returns of income tax returns for the assessment year 2015-16, 2016-17 and 2017-18.

5. Price quoted in the financial bid should be inclusive of all taxes and other charges, if any.

6. All tools, tackles, equipment etc. that shall be required by the contractor will have to be arranged by the contractor himself.

7. The Tender should be signed by the authorized person and his full name and status should be indicated below his signature.

8. Every paper of the tender should be signed by the contractor and properly affixing the seal of Agency/Firm/Company.

9. The applicant should not have been blacklisted or debarred fromparticipating in the tenders at any point of time by any of the Central orState Government, Semi Government or local body or any other agenciesat any point of time.

10. Details of viz. "After sales Services Facility" including name, address, contact Nos., etc. should also be mentioned in the offer.

11. Every tenderer should be accompanied with an Earnest Money Deposit (EMD) of Rs.20000/- (Rupees Twenty Thousand only) in form of DD in the name of 'Commissioner of Customs (General), JNCH'. Scan copy of DD should be uploaded with the bid. A hard copy of the DD should be submitted to CHS Section, first floor, Jawaharlal Nehru Custom House, Nhava Sheva, uran, Maharashtra-400707 between 11:00am to 05:00 pm on any working day before two days of submission of tender i.e. ----- Tenders received without EMD will be rejected outright .EMD exemptions will be as per Central Government.

ANNEXURE-D

TERMS AND CONDITIONS:

The Work consists of procurement and Beautification of Porch situated at JNCH, Nhava Sheva, terms and conditions mentioned in tender documents.

1. The registration number of firm along with the GST registration number must be given in the tender Bid. (Enclose necessary documents).

2. Conditional/ Unsolicited tender shall not be considered. Tender should be uploaded on CPP Portal i.e. www.eprocure.gov.in before the last date of Submission of the tender. Physical documents submitted in respect of the said tender without uploading the same on CPP Portal i.e. www.eprocure.gov.in will not be taken into consideration by this office.

3. It shall be ensured that the spare parts/ items used for repair and maintenance are fault free i.e. free from material, workmanship and manufacturing defects. The goods supplied shall be of the highest quality, Consistent with the established and generally accepted standard.

4. Interested Bidders/Parties/ Firms should visit JNCH and inspect the Site before submitting the tender and any query or clarification sought for; they may approach Superintendent of Customs (Prev.), CHS Section, JNCH.

5. The JNCH administration will not be responsible for any loss or damage to Service Provider's materials, equipment, tools, etc.

6. No other person except Contractor's/Service Provider's authorized representative shall be allowed to enter the office premises. In regard to the Personnel working in JNCH:

a). The Service Provider should strictly follow the Labor Laws, Minimum Wages Act, EPF, ESIC and other Allied Acts. The Service Provider should directly deal with the concerned departments. The JNCH will not be responsible for any default.

b). The Service Provider will be fully responsible for safety, welfare and any accident during the work. The JNCH will not be responsible at any time.

7. Every tenderer should be accompanied with an Earnest Money Deposit (EMD) of Rs.20000/- (Rupees Twenty Thousand only) in form of DD in the name of 'Commissioner of Customs (General), JNCH'. Scan copy of DD should be uploaded with the bid. A hard copy of the DD should be submitted to CHS Section, first floor, Jawaharlal Nehru Custom House, NhavaSheva, uran, Maharashtra-400707 between 11:00am to 05:00 pm on any working day before two days of submission of tender i.e. ----- Tenders received without EMD will be rejected outright. EMD exemptions will be as per Central Government rulings.

8. The TDS will be deducted as per provision of the Income Tax law.

9. Offers vaguely described or incomplete offers are liable to rejection. Successful bidder should deposit, within seven days of receipt of the work

order, 10% amount of the total value of the order as performance security in the form of Bank Guarantee with an auto renewal clause from any Nationalized Bank till the completion contract.

10. The payment of Beautification of work situated at JNCH as per the Technical Specification given in Annexure C shall be made in lump sum after satisfactory completion of the said work and inspection of the same by JNCH authorities. Submission of bills shall be in triplicate. No advance payment shall be made.

11. The Commissioner of Customs (General), JNCH is not bound to accept the Lowest tender and also reserves the right to reject any or all tenders at any Time without assigning any reason.

12. The Commissioner of Customs (General), JNCH taking note of overall facts And circumstances can change, add and relax any of the terms and Conditions of this tender notice.

13. The Commissioner of Customs (General), JNCH reserves the right to terminate the contract at any time after giving due notice to the contractor in the event of unsatisfactory services or breach of contract at any respect. The Performance Security amount will be forfeited accordingly.

14. The prices quoted in the financial Bid should be inclusive of all taxes and cost of Beautification of Porch as per the Technical Specification given in Annexure B and other charges etc. The Service Provider should quote the prices for the same which is inclusive of the total cost. Further, any extra amount which is not mentioned in the financial Bid will not be paid by JNCH.

FORMAT FOR TECHNICAL BID

ANNEXURE-E

PART-I

1	Name of "The Service Provider"	
	Full address of the Service Provider	
	Telephone no.	
	Fax No.	
	Email:	
	Complete name and contact no.	
2	Bank details with MICR & IFSC code	
	(submit	
	Mandate form for ECS payment).	
3	PAN.	
4	Income Tax Returns (ITR) of last three	
	years i.e.,	
	2015-16, 2016-17 and 2017-18.	
5	CA Certificate for last 3 years turnover i.e.	
	2015-16, 2016-17 and 2017-18.	
6	GST Registration Number.	
7	Shop & Establishment certificate.	
8	Whether Black listed by any PSU	
	Banks/Govt. Organizations (submit	
	self declaration certificate).	
9	Performance certificate /work experience	
	of 03 years in Government department	
	only.	
10	Details of EMD.	

Note: 1. Attested Photo copies of all above for proof should be attached. 2. Original copies should be provided at the time of opening tender

PART-II

-DECLARATION-

2. I have carefully read and understood all the terms and conditions of the tender and undertake to abide to them;

3. The information / documents furnished along with the above application are True and authentic to the best of my knowledge and belief. I / we, am / are well aware of the fact that furnishing of any false information / fabricated document would lead to rejection of my tender at any stage besides liabilities towards prosecution under appropriate law;

4. I understand that in case any deviation is found in the above statement at any stage, the concern shall be blacklisted and shall not have any dealing with the Department in future.

Date:

Signature of authorized person

GENERAL INSTUCTIONS

The Service Provider will submit bids online only through www.eprocure.gov.in under department name "Revenue Department". All relevant documents should be attached with bid.

EMD (Earnest Money Deposit): The tender should be submitted with a Demand Draft of **Rs. 20,000/- (Rupees Twenty Thousand Only)** in the name of "The Commissioner of Customs (General), JNCH".

PG (Performance Guarantee): The successful bidder should submit 10% amount of the total value of contract in form of Bank Guarantee with auto renewal clause valid till the contract expiry period from any Nationalized Bank, in the name of "The Commissioner of Customs (General), JNCH".

The Service Provider should fulfill prequalification condition of the Tender.

The Service Provider should submit attested copies (attested by authorized person) of all the documents online on www.eprocure.gov.in

The technical bid will be opened first in the presence of the Tender Committee Members and bidders. Financial bids of only the technically qualified bidders will be opened in the presence of the Tender Committee Members and bidders. The bidders, if they wish, may remain present. For any clarification/ inspection regarding work of Beautification of Porch. The interested parties may contact the Superintendent of Customs, CHS Office, 1 st Floor, 'C' Wing of this Custom House on any working day between 11:00AM to 5:00 PM, either personally or on Tel: 02227244903.

Last date for accepting tender: **27-02-2019**

Opening of the bids-

Technical Bid- **28-02-2019** Financial Bid- **01-03-2019** Tender document is available on web site <u>http://www.jawaharcustoms.gov.in/</u>.

-Sd/-

(J.P. Singh) DEPUTY COMMISSIONER OF CUSTOMS CHS, JNCH.

ANNEXURE-G

FORMAT FOR FINANCIAL BID Beatification of Porch Area with

1	Qty	Unit		
form of painting				
s using advanced				
images of warli				
-				
-				
mm Ht.	1	No		
. .				
U				
pplying vertical				
fabrication and				
novable planter				
flexibility. Total				
	170	SF		
	170	01		
lding applying				
5				
5				
ing supports to				
the concrete				
-				
	225	RFT		
	cracks and holes surface and then applying two to he wall for the li figures painted a using advanced y images of warli ghly skilled artist ainting enhanced just an art form, he Warli (Varli) mm Ht. to the left, right inting in aligned en living wall Planters provide plying vertical fabrication and installation. the installation prinklers system installation. des good air flow novable planter flexibility. Total ding applying ng and to the left all surrounding hitectural design stems should be	form of painting form of painting cracks and holes surface and then applying two to he wall for the li figures painted a using advanced v images of warli ghly skilled artist ainting enhanced just an art form, he Warli (Varli) Dmm Ht. 1 to the left, right inting in aligned een living wall Planters provide pplying vertical fabrication and installation. Ints installation. bprinklers system installation. ides good air flow novable planter flexibility. Total I170 Iding applying ng and to the left all surrounding n stone cladding, hitectural design stems should be ing supports to the concrete sound section of a exposited into mix, the stone	form of painting form of painting cracks and holes surface and then applying two to he wall for the li figures painted a using advanced y images of warli ghly skilled artist ainting enhanced just an art form, he Warli (Varli) Demm Ht. 1 No to the left, right inting in aligned een living wall Planters provide pplying vertical fabrication and installation. The installation prinklers system installation. The system installation. The system installation. The system installation. The system installation. The stone cladding, hitectural design stems should be ing supports to the concrete sound section of l exposited into mix, the stone	form of painting form of painting cracks and holes surface and then applying two to he wall for the li figures painted a using advanced y images of warli ghly skilled artist ainting enhanced just an art form, he Warli (Varli) Pmm Ht. 1 No to the left, right inting in aligned een living wall Planters provide pplying vertical fabrication and installation. inst installation. Sprinklers system installation. dies good air flow novable planter flexibility. Total 170 SF Iding applying ng and to the left all surrounding a stone cladding, hitectural design stems should be ing supports to o the concrete sound section of d exposited into mix, the stone

4	Providing and installation of wooden cladding for vertical garden to fix planters in it. Wooden cladding installation below the warli painting and left and right side of painting. Custom-fabricated frames of wood. Used pressure-treated lumber and galvanized planter boxes to erect a vertical garden filled with colorful plants. Mounting the frame to the siding step by step carefully. The frames on the back of the wall panels wooden cladding and using timber screws to fix it. All complete with waterproof & decorative polish finish.	355	SF	
5	Providing and fixing in position wooden effect PVC waterproof False ceiling. These highly-reflective PVC panels are ideal for high-moisture areas because they are water- proof. Panels install quickly and easily, with no exposed fasteners. Available in widths of 255mm and cut to inch lengths from 3000mm to 3600mm as per requirement. It is optimum quality and smooth surface. use of quality tested raw material in a quality controlled environment. It is waterproof, termite resistant and has brilliant brightness. Hygienic surface, Moisture resistance, Low weight, High durability, Optimum usage	1595	SF	
6	Wall Texture work: Sand Papering scraping cleaning the surface applying primer with lambi patti to full surface in 3 layers, thereafter applying 3 coats of Asian, Berger, nerolac or equivalent make of approved shade and colour. Roller to be applied on all surface etc. complete.	705	SF	
7	Providing and fixing in position new customs logo in glass. Made out of back painted glass 12mm thick with engraving logo of customs in Hindi and in English. Having in center Ashok Stambh. Same logo glass fixing with s.s.steel studs on the four sides fixing on the wall with decorative light arrangement and wiring for the logo. Logo	-	N	
8	size 600mm x 600mm Fixing LED lights with wiring work to the	1 20	No No	
	ceiling. LED of 20-22 watt in round shape.			
9	Shifting and realignment of lighting points including all respect.	LS		

Name in block capital letters. Signature of the Service Provider along with seal.